PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	PPP PPP PPP PPP PPP	RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	\$	MMM MMM MMM MMM MMM MMM MMMMM MMMMMM MMMMMM MMMMMM MMM MMM	BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB
PPP	PPP	RRR RRR	TTT	SSS	MMM MMM MMM	BBB BBB
PPP	PPP	RRR RRR	111	SSS	MMM MMM MMM	888 888
PPPPPPPP	PPP	RRRRRRRRRRR	TTT	SSSSSSSS	MMM MMM	888886888888
PPPPPPPPP	PPP	RRRRRRRRRRRR	TTT	SSSSSSSS	MMM MMM	BBBBBBBBBBB
PPPPPPPPP	PPP	RRRRRRRRRRR	TŤŤ	SSSSSSSS	MMM MMM	88888888888
PPP		RRR RRR	ŤŤŤ	SSS	MMM MMM	888 888
PPP		RRR RRR	ŤŤ	ŠŠŠ	MMM MMM	888 888
PPP		RRR RRR	ŤŤŤ	SSS	MMM MMM	888 888
PPP		RRR RRR	ŤŤŤ	SSS	MMM MMM	888 888
PPP		RRR RRR	ÌÌ	SSS	MMM MMM	888 888
PPP		RRR RRR	ŤŤŤ	SSS	MMM MMM	888 888
PPP		RRR RRR	ÌΤ̈́	SSSSSSSSSS	MMM MMM	888888888888
PPP		RRR RRR	ŤŤŤ	\$\$\$\$\$\$\$\$\$\$\$	MMM MMM	888888888888
PPP		RRR RRR	iii	\$\$\$\$\$\$\$\$\$\$\$\$	MMM MMM	88888888888

000000 00000

P

P

RR
RR RR
RR
• • • •
• • • •
RR

MM	MM	AAAA	AAA	PPPPP	PPP
MM	MM	AAAA	AA	PPPPPPPP	
MMMM	MMMM	AA	AA	PP	PI
MMMM	MMMM	AA	AA	PP	P
	MM MM	AA	ÂÂ	PP	P
	MM MM	AA	AA	PP	Pi
MM	MM	AA	AA	PPPPPI	
MM	MM	AA	AA	PPPPP	
MM	MM	AAAAA		PP	• •
MM	MM	AAAAA		PP	
MM	MM	AA	AA	PP	
MM	MM	ÄÄ	ÂÂ	PP	
MM	MM	ĀĀ	ÄÄ	PP	
MM	MM	ÂÂ	ÂÂ	PP	

! Object Module Synopsis!

Module Name	Ident	Bytes	File		Creation Date	Creator
TRANSFER SEPARATE TABLES DISPATCH INPUT FORMAT OUTPUT MEMORY MESSAGE SERVICES PSMMSG SMBMSG BANNER SYS SYS\$P1_VECTOR BASRTL MTHRTL LBRSHR LIBRTL	V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000	1244 4587 2341 1614 855 1282 1200 1245 422 372 0	\$255\$DUA28 \$255\$DUA28	:[PRTSMB.OBJ]PRTSMB.OLB; :[SYSOBJ]SYS.STB;1 :[SYSOBJ]SYS.STB;1 :[SYSLIB]BASRTL.EXE;1 :[SYSLIB]BASRTL.EXE;1 :[SYSLIB]LBRTL.EXE;1	1 16-Sep-1984 02:23 1 16-Sep-1984 02:30 1 16-Sep-1984 02:10 1 16-Sep-1984 02:16 1 16-Sep-1984 02:21 1 16-Sep-1984 02:21 1 16-Sep-1984 02:20 1 16-Sep-1984 02:30 1 16-Sep-1984 02:31 1 16-Sep-1984 02:31 1 16-Sep-1984 02:31 1 16-Sep-1984 04:00 1 16-Sep-1984 04:00 1 16-Sep-1984 04:06 1 16-Sep-1984 04:06 1 16-Sep-1984 04:06 1 16-Sep-1984 04:06	VAX/VMS Macro V04-00 VAX-11 Bliss-32 V4.0-742 VAX-11 Message V04-00 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX-11 Linker V04-00
Module Name		Number	Module Name	•	Number Module Name	Numh

SEPARATE FORMAT

EXES: SMBSRVSHR

Number Module Name 68 TABLES 1 MESSAGE

Number Module Name 20 DISPATCH 7 SERVICES

Number

2

Image Section Synopsis .

(luster	Type	Pages	Base Addr	Disk VB	N PFC	Pr	otec	tion a	nd Pagi	ng	Global	Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	122242	1 2 54 1 1 2	00000000-F 00000200-F 00000600-F 00007200-F P-00007400-F	? ?	2 3 5 5 60 61	0 R R R R	EAD EAD EAD	ONLY WRITE WRITE WRITE WRITE WRITE	NON-S COPY COPY	ON REF HAREABLE ON REF ON REF VECTORS		S DATA			
BASRTL	3 4 3 2	168 3 1 2	00000000-F 00015000-F 00015600-F 00015800-F	?	0000	0 R	EAD	ONLY WRITE ONLY WRITE		ON REF	BASRTL BASRTL BASRTL BASRTL	003	LESS/EQUAL LESS/EQUAL LESS/EQUAL LESS/EQUAL	1 1 1	10 10 10 10
MTHRTL	3	115	00000000-F					ONLY WRITE	FIXUP	VECTORS	MTHRTL MTHRTL	_001 _002	LESS/EQUAL LESS/EQUAL		32778 32778
LBRSHR	1 2 2 4	1 3 54 1	00000000-F 00000200-F 00000800-F 00007400-F	?	0	0 R	EAD	ONLY WRITE ONLY WRITE		ON REF	LBRSHR LBRSHR LBRSHR LBRSHR	_002 _003	LESS/EQUAL LESS/EQUAL LESS/EQUAL LESS/EQUAL	2	9 9 9
LIBRTL	3 4	111	00000000-F 0000DE00-F		0	0 R	EAD	ONLY WRITE	DEMAND	ZERO	L IBRTL L IBRTL	_001 _002	LESS/EQUAL LESS/EQUAL		11

Key for special characters above:

R - Relocatable ! P - Protected !

VAX-11 Linker V04-00

Program Section Synopsis!

Psect Name	Module Name	Base	End	Length	Align	Attributes	
\$SMBSHR_TRANFER	TRANSFER			00000098 (00000098 (152.) BYTE 0 152.) BYTE 0	NOPIC, USR, CON, REL, LCL, SHR, NOEXE,	RD, NOWRT, NOVEC
DATA	SEPARATE TABLES INPUT MEMORY MESSAGE SERVICES	00000200 00000204 000003FC 00000400 00000410	00000203 000003FB 000003FF 0000040F 00000411	000001F8 (00000004 (568.) LONG 2 4.) LONG 2 504.) LONG 2 4.) LONG 2 16.) LONG 2 2.) LONG 2 36.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, WRT, NOVEC
CODE	TRANSFER SEPARATE TABLES DISPATCH INPUT FORMAT OUTPUT MEMORY MESSAGE SERVICES	0000600 0000710 00003A10 00003CF4 00004EE0 00005804 00005554 000061AC	0000070D 00003A0C 00003CF3 00004EDE 00005800 00005E51 000061AA 0000669D 00004B4D	000032FD (000002E4 (000011EB (00000921 (0000064E (00000357 (000004F2 (27145.) LONG 2 270.) LONG 2 13053.) LONG 2 740.) LONG 2 4587.) LONG 2 2337.) LONG 2 1614.) LONG 2 855.) LONG 2 1266.) LONG 2 1198.) LONG 2 1209.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, EXE,	RD, NOWRT, NOVEC
. BLANK .	BANNER			00000174 (00000174 (372.) BYTE 0 372.) BYTE 0	NOPIC, USR, CON, REL, LCL, NOSHR, EXE,	RD, WRT, NOVEC
MSGPTR\$AAAAAAAA	PSMMSG SMBMSG	00007400	0000740F	00000010 (00000010 (00000010 (16.) LONG 2 16.) LONG 2 16.) LONG 2	PIC, USR, OVR, REL, LCL, NOSHR, NOEXE,	RD. WRT, VEC
MSGPTR\$AAAAAAB	PSMMSG SMBMSG	00007410	00007413	00000008 (00000004 (00000004 (8.) LONG 2 4.) LONG 2 4.) LONG 2	PIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, WRT, VEC
MSGPTR\$AAAAAAC	PSMMSG SMBMSG	00007418	0000741B	00000004 (00000004 (00000004 (4.) LONG 2 4.) LONG 2 4.) LONG 2	PIC, USR, OVR, REL, LCL, NOSHR, NOEXE,	RD, WRT, VEC
MSGPTR\$SECTION	PSMMSG SMBMSG	00007410	0000742D	00000024 (00000012 (00000012 (36.) BYTE 0 18.) BYTE 0 18.) BYTE 0	PIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, WRT, VEC

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By		
BASSEDIT	00007648-RX	BASRTL	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
EXESCARRIAGE	800096FA	SYS	DISPATCH	445 44 5 5 14	
EXPAND_CONDITION_VECTOR	00004A44-R	DISPATCH	INPUT	MEMORY	
LBR\$CLOSE	00007664-RX	LBRSHR	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
LBR\$GET_RECORD	00007654-RX	LBRSHR	SEPARATE	SERVICES FORMAT	TABLES INPUT
EBN DOE I _ NE COND	00007034-KX	FORSHK	DISPATCH MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
LBR\$INI_CONTROL	0000766C-RX	LBRSHR	DISPATCH	FORMAT	INPUT
EDITORIA CONTINUE	00001000 NA	LONSAN	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
LBR\$LOOKUP_KEY	00007658-RX	LBRSHR	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
LBRSOPEN	00007668-RX	LBRSHR	DISPATCH	FORMAT	INPUT
			MEMORY	MÉSSAGE	ÕUTPUT
			SEPARATE	SERVICES	TABLES
LBR\$RET_RMSSTV	0000765C-RX	LBRSHR	DISPATCH	FORMAT	INPUT
_			MEMORY	MESSAGE	OUTPUT
	00007440 000		SEPARATE	SERVICES	TABLES
LBR\$SET_LOCATE	00007660-RX	LBRSHR	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
LIBERDEE VM	00007484 84		SEPARATE	SERVICES	TABLES
LIB\$FREE_VM	000076B4-RX	LIBRTL	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
LIBSGET_VM	000076B8-RX	LIBRTL	SEPARATE DISPATCH	SERVICES FORMAT	TABLES INPUT
CIBAGE L'AM	000070B8-KX	LIBKIL	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
LIB\$SIGNAL	C-00076AC-RX	LIBRTL	DISPATCH	FORMAT	INPUT
	ooor one ma	£151(1)£	MEMORY	MESSAGE	SERVICES
LIB\$STOP	000076A8-RX	LIBRTL	DISPATCH	MESSAGE	SERVICES
LIBSTRIM_FILESPEC	000076B0-RX	LIBRTL	DISPATCH	FORMAT	INPUT
•			MEMORY	MËSSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSMSALLOCATE_DSB	000061AC-R	MEMORY	DISPATCH	SERVICES	
PSM\$ALLOCATE_10B	00006229-R	MEMORY	DISPATCH	SERVICES	
PSM\$ALLOCATE_SCB	000062f7-R	MEMORY	MESSAGE		
PSMSBANNER	000072DE-R	BANNER	SEPARATE		
PSMSDEALLOCATE_DSB	000062AF-R	MEMORY	DISPATCH	SERVICES	
PSMSDEALLOCATE_IOB	000062D3-R	MEMORY	740; FC		
LOWELT E EDDOOR	00000710-R	SEPARATE	TABLES		
POMPETIC ERRURS	00004EE1-R 000007C1-RU	INPUT	TABLES	TRANCEED	
PSMSFILE_BURST PSMSFILE_ERRORS PSMSFILE_FLAG PSMSFILE_INFORMATION	000007C1-RU 00004F58-R	SEPARATE	TABLES Tables	TRANSFER	
PSMSFILE_SETUP	00004738-R	INPUT INPUT	TABLES		
T SHOT ILE_SE TOP	VUUU 1 100 M	INCOL	INDLES		

/* /*

SM

/*
/*
cccccc/cccccc/*
/*
/*
/*
/*

CO CO

/* /* /*

(O (O (O (O

SEPARATE

DISPATCH

SEPARATE

DISPATCH

SEPARATE

MEMORY

MEMORY

PSMS_EOF

PSMS_ESCAPE

0106803A-U

01068030

PSMMSG

PSMMSG

SERVICES

FORMAT

FORMAT

MESSAGE

SERVICES

MESSAGE

SERVICES

TABLES

INPUT

OUTPUT

TABLES

INPUT

OUTPUT

TABLES

SM

/* /*

/+

CO

)

/+

/*

/ *

ag

en

/*

/ *

/*

ag

en

/• /• ag

5

Symbol	Value	Defined By	Referenced By		
PSMS_FACILITY	00000106	PSMMSG			
PSM\$_FLUSH	01068011-U	PSMMSG	DISPATCH	FORMAT	INPUT
	0.0000	, 0, , 0	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSMS_FUNNOTSUP	01068001 - U	PSMMSG	DISPATCH	FORMAT	INPUT
. 3.75_1 3.000	0.00000.		MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSM\$_INVITMCOD	0106806C	PSMMSG	DISPATCH	FORMAT	INPUT
1	0.00000		MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSM\$_INVVMSOSC	01068042	PSMMSG	DISPATCH	FÖRMAT	INPUT
1 3/10_2/10 4/13030	01000045	7 31 11 13 3	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSMS_MODNOTFND	0106804A	PSMMSG	DISPATCH	FORMAT	INPUT
T Sha _ hours it has	01000047	1 31 11 13 0	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSM\$_NEWPAGE	01068020	PSMMSG	DISPATCH	FORMAT	INPUT
F3H9_NEWFAGE	01008020	Farinad	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
DOME MOETI ETD	01049052	DCMMCC		FORMAT	INPUT
PSMS_NOFILEID	01068052	PSMMSG	DISPATCH	FURMA! MECCACE	OUTDUT
			MEMORY	MESSAGE	OUTPUT
DOME OCCIONION	010/0054	DCMMCC	SEPARATE	SERVICES	TABLES
PSM\$_OSCTOOLON	0106805A	PSMMSG	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSM\$_PENDING	01068009 - U	PSMMSG	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSM\$_SUSPEND	01068028 - U	PSMMSG	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
PSMS_TOOMANYLEV	01068062	PSMMSG	DISPATCH	FORMAT	INPUT
			MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
SEARCH FOR STRING	00004DA9-R	DISPATCH			
SMBSCHECK_FOR_MESSAGE	00006B50-RU	SERVICES	TRANSFER		
SMBSINITIĀLIZĒ	00006C50-RU	SERVICES	DISPATCH	TRANSFER	
SMB\$READ_MESSAGE	00006CE4-RU	SERVICES	MESSAGE	TRANSFER	
SMB\$READ_MESSAGE_ITEM	00006865-RU	SERVICES	MEMORY	TRANSFER	
SMB\$SEND_TO_JOBCTL	00006D8D-RU	SERVICES	DISPATCH	MESSAGE	OUTPUT
3.13002.13_10_00001.2	COCCODOD ING	02	TRANSFER	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
SMB\$_FACILITY	00000110	SMBMSG	THE TEN		
SMB\$_INVSTMNBR	0110800C	SMBMSG	DISPATCH	FORMAT	INPUT
31.00_111011	01100000	3/10/130	MEMORY	MESSAGE	OUTPUT
			SEPARATE	SERVICES	TABLES
SMB\$_INVSTRLEV	01108014	SMBMSG	DISPATCH	FORMAT	INPUT
2UDS_THASTMEEA	01100014	Shortsu	MEMORY	MESSAGE	OUTPUT
1			SEPARATE	SERVICES	TABLES
CMDE NOMODETTEMS	01108002 - U	SMBMSG	DISPATCH	FORMAT	INPUT
SMB\$_NOMOREITEMS	01100002-0	onon o			OUTPUT
			MEMORY	MESSAGE	
CCE NORMAL	0000001	CVC	SEPARATE	SERVICES	TABLES
SS\$_NORMAL	00000001	SYS	BANNER		
1					

_\$255\$DUA28:[PRTSMB.OBJ]	SMBSRVSHR.EXE;1		B 5 16-SEP-1984 04:20	VAX-11 Lii	nker V04-00	Page	7
Symbol	Value	Defined By	Referenced By				
STRSANALYZE_SDESC	0000767C-RX	LIBRTL	DISPATCH MEMORY	FORMAT MESSAGE	INPUT OUTPUT		
STRSANALYZE_SDESC_R1	00007678-RX	LIBRTL	SEPARATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES INPUT OUTPUT		
STR\$APPEND	00007680-RX	LIBRTL	SEPARATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES INPUT OUTPUT		
STR\$CONCAT	00007684-RX	LIBRTL	SÉPÁRATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TÄBLĒS Input Output		
STR\$COPY_DX	0000768C-RX	LIBRTL	SÉPÁRATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TÄBLES INPUT OUTPUT		
STR\$COPY_R	00007688-RX	LIBRTL	SÉPARATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES INPUT OUTPUT		
STR\$FREE1_DX	00007694-RX	LIBRTL	SĒPĀRATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES INPUT OUTPUT		
STRSFREE1_DX_R4	00007690-RX	LIBRTL	SÉPÁRATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES INPUT OUTPUT		
STR\$GET1_DX	00007698-RX	LIBRTL	SÉPARATE DISPATCH MEMORY	SËRVICËS FORMAT MESSAGE	TÄBLËS INPUT OUTPUT		
STR\$LEFT	0000769C-RX	LIBRTL	SÉPARATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TÄBLES INPUT OUTPUT		
STRSPREFIX	000076A0-RX	LIBRTL	SĒPĀRATĒ DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES INPUT OUTPUT		
STR\$RIGHT	000076A4-RX	LIBRTL	SEPARATE DISPATCH MEMORY	SERVICES FORMAT MESSAGE	TABLES Input Output		
SUSPEND_SERVICE SYSSALLOC SYSSASSIGN	00004E78-R 7ffEDE38 7ffEDE50	DISPATCH SYS\$P1_VECTOR SYS	SEPARATE OUTPUT OUTPUT	SERVICES SERVICES	TABLES		
SYS\$CANCEL SYS\$CLOSE SYS\$CONNECT	7FFEDE60 7FFEE1B8 7FFEE1CO	SYS SYS SYS	OUTPUT DISPATCH INPUT	INPUT			
SYS\$DALLOC SYS\$DASSGN SYS\$DCLAST SYS\$EXIT SYS\$FAO SYS\$FILESCAN SYS\$FIND SYS\$GET SYS\$GET	7FFEDED8 7FFEDEE8 7FFEDF40 7FFEDF50 7FFEE278 7FFEE170 7FFEE180 7FFEE418	SYS SYS SYS SYS SYS\$P1_VECTOR SYS\$P1_VECTOR SYS	OUTPUT OUTPUT DISPATCH DISPATCH DISPATCH SEPARATE INPUT INPUT OUTPUT	FORMAT	SEPARATE		
SYSSGETSYIW	7FFEE430	SYS\$P1_VECTOR	DISPATCH	SEPARATE			

SMB

/* /* /* agg

SMB

Symbol	Value	Defined By	Referenced By	
SYSSGETTIM	7FFEDF78	SYS\$P1_VECTOR	MESSAGE	
SYS\$HIBER SYS\$K_VERSION	7ffEDF88 48513258	SYS SYS	SERVICES	
SYSSOPEN	7ffEE208	SYS	INPUT	CED41.CEC
SYS\$PURGWS Sys\$putmsg	7FFEDFB0 7FFEE0E0	SYS\$P1_VECTOR SYS	DISPATCH DISPATCH	SERVICES
SYS\$010	7FFEDFC8	ŠYS	OUTPUT	SERVICES
SYSSQIOW SYSSREWIND	7FFEDE00 7FFEE210	SYS SYS\$P1_VECTOR	OUTPUT Input	
SYS\$SÉTIMR	7F F Ē Ē Ö 2 Ō	SYS	MESSAGE	
SYS\$SETPRV SYS\$TRNLOG	7FFEE100 7FFEE058	SYS SYS	DISPATCH SEPARATE	
SYS\$WAIT	7FFĒĒ1A8	ŠYŠ	INPUT	
SYS\$WAKE	7FFEE080	SYS\$P1_VECTOR	SERVICES	

SMB

VAX-11 Linker V04-00

```
. symbols By Value .
```

```
Value
                                                                                                  Symbols...
                               SS$_NORMAL
PSM$S_HANGUP_DISPATCH_ENTRY
PSM$_FACILITY
SMB$_FACILITY
R-PSM$SRV
 0000001
 8000000
 00000106
 00000110
00000204
00000374
000003F4
000003F8
                              R-PSM$$RV
R-PSM$GL_SCBVEC
R-PSM$GL_MAXBUF
R-PSM$GL_USER_CTX
R-PSM$HANGUP_DISPATCH_TABLE
R-PSM$FILE_BURST
R-PSM$FILE_TRAILER
R-PSM$JOB_BURST
R-PSM$JOB_FLAG
R-PSM$JOB_TRAILER
R-PSM$JOB_TRAILER
R-PSM$PAGE_HEADER
R-PSM$XLATE_BBIT
R-PSM$XLATE_ALIGN
R-PSM$MIT
00000600
00000710
00000701
00000928
 00009CD
 00000A6F
00000BD8
00000C90
00003A10
00003B10
                                R-PSMSMIT
 00003DA0
                                R-PSM$FUNCTION DISPATCH
00004588
0000468C
000046D8
000047DD
                                R-PSM$REPORT
                                R-PSM$INCLUDE_MODULES
                              R-PSMSPRINT
R-PSMSSTORE ERRORS
R-EXPAND CONDITION VECTOR
R-SEARCH FOR STRING
R-SUSPEND SERVICE
R-PSMSFILE ERRORS
R-PSMSFILE INFORMATION
R-PSMSMAIN INPUT
R-PSMSFILE SETUP
R-PSMSFILE SETUP
R-PSMSFORM SETUP
R-PSMSJOB COMPLETION
R-PSMSJOB RESET
R-PSMSJOB SETUP
R-PSMSPAGE SETUP
R-PSMSPAGE SETUP
R-PSMSMAIN FORMAT
R-PSMSOUTPUT
                                R-PSM$PRINT
 00004A44
 00004DA9
 00004E78
 00004EE1
 00004F58
 00004FC4
 0000513B
 00005164
 00005160
 00005195
 0000519D
 00005168
 0000521F
 0000526B
 00005805
 00005E54
                                R-PSMSOUTPUT
 000061AC
                                R-PSMSALLOCATE_DSB
                                R-PSM$ALLOCATE_10B
R-PSM$DEALLOCATE_10B
R-PSM$DEALLOCATE_10B
 00006229
 000062AF
 00006203
 000062f7
00006336
                                 R-PSMSALLOCATE_SCB
R-PSMSINITIALIZE_SCB
 0000641E
                                 R-PSM$READ_ITEM_DX
 00006488
                                 R-PSMSREAD_ITEM_R
                                R-PSMSRESET_SCB"
 000064A2
```

```
Symbols...
 Value
                           R-PSMSUPDATE_SCB
R-PSMSURITE_TTEM_DX
 000065A0
 00006602
 00006661
                           R-PSMSWRITE ITEM R
                           R-PSMSRECETVE MESSAGE AST
R-SMBSCHECK FOR MESSAGE
R-SMBSREAD MESSAGE ITEM
 00006600
 00006B50
 00006B65
 00006BE9
                           R-PSMSREPLACE
 00006050
                           R-SMB$INITIALIZE
                           R-SMBSREAD MESSAGE
R-PSMSSCHEDULE NON AST
R-SMBSSEND TO JOBCTL
R-PSMSWAIT FOR NON AST
 00006CE4
 00006D3E
 00006080
00006EB4
000072DE
00007648
00007654
00007658
                           R-PSMSBANNER
                         RX-BASSEDIT
                         RX-LBR$GET_RECORD
RX-LBR$LOOKUP_KEY
RX-LBR$RET_RM$STV
RX-LBR$SET_LOCATE
 00007660
 00007664
                         RX-LBR$CLOSE
 00007668
                         RX-LBRSOPEN
                         RX-LBRSINI CONTROL
RX-STRSANALYZE_SDESC_R1
 0000766C
00007678
00007678
00007680
00007684
00007686
00007680
00007690
00007694
00007696
000076A0
000076A6
                         RX-STR$ANALYZE_SDESC
                         RX-STR$APPEND
                         RX-STR$CONCAT
                         RX-STR$COPY_R
                         RX-STRSCOPY DX
RX-STRSFREET DX_R4
RX-STRSFREET_DX
                         RX-STRSGET1_DX
                         RX-STR$LEFT
                         RX-STR$PREFIX
                         RX-STR$RIGHT
                         RX-LIB$STOP
                        RX-LIB$SIGNAL
RX-LIB$TRIM_FILESPEC
RX-LIB$FREE_VM
RX-LIB$GET_VM
U-PSM$_FUNNOTSUP
U-PSM$_PENDING
U-PSM$_FLUSH
PSM$_BUFFEROVF
PSM$_NEWPAGE
U-PSM$_SUSPEND
PSM$_ESCAPE
U-PSM$_EOF
PSM$_INVVMSOSC
PSM$_MODNOTFND
PSM$_NOFILEID
PSM$_OSCTOOLON
PSM$_TOOMANYLEV
PSM$_INVITMCOD
 000076AC
                         RX-LIB$SIGNAL
 000076B0
 00007684
 000076B8
 01068001
 01068009
01068011
01068018
01068020
01068028
01068030
 0106803A
 01068042
 0106804A
01068052
 0106805A
```

01068062 01068060

/* /* /* /*

SMB

end

VAX-11 Linker V04-00

```
Value
                                                                     Symbols...
01108002
                      U-SMB$_NOMOREITEMS
                          SMBS_INVSTMNBR
SMBS_INVSTRLEV
SYS$K_VERSION
SYS$QIOW
0110800C
01108014
48513258
7FFEDE00
7FFEDE38
7FFEDE50
                          SYSSALLOC
                          SYSSASSIGN
7FFEDE60
7FFEDE60
7FFEDE80
7FFEDF40
7FFEDF78
7FFEDF88
7FFEDF88
7FFEE058
7FFEE080
7FFEE180
7FFEE180
7FFEE188
7FFEE188
7FFEE188
7FFEE188
7FFEE188
7FFEE188
                          SYSSCANCEL
                          SYS$DALLOC
                          SYS$DASSGN
                          SYSSDCLAST
                          SYSSEXIT
                          SYSSFAO
SYSSGETTIM
SYSSHIBER
                          SYS$PURGWS
                          SYS$010
                          SYSSSETIMR
SYSSTRNLOG
                          SYS$WAKE
                          SYSSPUTMSG
                          SYS$SETPRV
                          SYS$FIND
                          SYSSGET.
                          SYSSWAIT
                          SYS$CLOSE
                          SYS$CONNECT
                          SYSSOPEN
                          SYSSREWIND
                          SYS$FILESCAN
7FFEE418
7FFEE430
                          SYSSGETDVIW
                          SYSSGETSYIW
800096FA
                          EXESCARRIAGE
```

_\$255\$DUA28:[PRTSMB.OBJ]SMBSRVSHR.EXE;1

Key for special characters above:

! * - Undefined U - Universal - Relocatable ! X - External

GSMATCH = LEQUAL, 1,0

SME

1 . 4

* * * * *

į .

•

```
_$255$DUA28:[PRTSMB.OBJ]SMBSRVSHR.EXE:1
                                                    Image Synopsis!
                                                   00000000 000079FF 00007A00 (31232. bytes, 61. pages)
Virtual memory allocated:
Stack size:
                                                          0. pages
Image header virtual block limits:
                                                                             1. block)
Image binary virtual block limits:
                                                                             6. blocks)
                                                   SMBSRVSHR V04-000
Image name and identification:
Number of files:
Number of modules:
                                                         19.
Number of program sections:
                                                         16.
Number of global symbols:
                                                       1070.
Number of cross references:
                                                        715.
Number of image sections:
                                                         18.
Number of address fixups:
                                                        103.
Number of code references to shareable images:
Image type:
                                                     PIC, SHAREABLE. Global Section Match=LESS/EQUAL, Ident, Major=1, Minor=0
Map f
        ıt:
                                                   FULL WITH CROSS REFERENCE in file _$255$DUA28:[PRTSMB.LIS]SMBSRVSHR.MAP:1
       ed map length:
Esti
                                                   210. blocks
                                                 Link Run Statistics!
Performance Indicators
                                                   Page faults
                                                                 CPU Time
                                                                                  Elapsed Time
                                                           147
                                                                 00:00:00.51
    Command processing:
                                                                                  00:00:01.75
    Pass 1:
                                                                 00:00:03.58
                                                                                  00:00:10.99
                                                           244
    Allocation/Relocation:
                                                            38
                                                                 00:00:00.19
                                                                                  00:00:00.51
                                                           106
    Pass 2:
                                                                 00:00:01.62
                                                                                  00:00:05.09
    Map data after object module synopsis:
                                                            23
                                                                 00:00:01.34
                                                                                  00:00:01.52
    Symbol table output:
                                                                 00:00:00.09
                                                                                  00:00:00.41
Total run values:
                                                           562
                                                                 00:00:07.33
                                                                                  00:00:20.27
Using a working set limited to 1200 pages and 755 pages of data storage (excluding image)
Total number object records read (both passes): 1496
    of which 655 were in libraries and 188 were DEBUG data records containing 17445 bytes
Number of modules extracted explicitly
    with 13 extracted to resolve undefined symbols
88 library searches were for symbols not in the library searched
A total of 6 global symbol table records was written
LINK/SHARE=EXES:SMBSRVSHR/MAP=MAPS:SMBSRVSHR/FULL/CROSS LIBS:PRTSMB/INCLUDE=TRANSFER/LIB,EXSM:SYS.STB/SELECTIVE,SYS$INPUT:/OPTIONS
  Set Global Section match control
```

```
Define some messages as Universal Symbols for user
written symbionts
```

_\$255\$DUA28:[PRTSMB.OBJ]SMBSRVSHR.EXE;1

UNIVERSAL = -

PSMS_FLUSH PSMS_FUNNOTSUP PSMS_PENDING PSMS_SUSPEND PSMS_EOF SMBS_NOMOREITEMS Service requests output flush
Function not supported
Function pending
Function suspended
End of input detected
No more items in message

...

PSE

!Ch SAS

BU1

ŠAS

! [

0309 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

